



eZIP[®]
track blind

EXTENDED
10YEAR
WARRANTY
Terms & Conditions apply

Designed to perform



eZIP.com.au



Experience true outdoor comfort

Looking for the ultimate way to bring the outdoors in? Whether you want to shield the weather for the ideal outdoor kitchen, enclose the pergola or create your own alfresco courtyard, eZIP® track blinds are the perfect solution.


Designed to perform in the harsh Australian environment, eZIP®'s robust high density aluminium frame has exceptional built in flex resistance to ensure problem free blind motion.

With its patented multi-direction tension setting, eZIP® track blinds always look good with optimal blind alignment for a taut blind fabric result that compliments any outdoor setting.

With a slim and sleek fully enclosed 135mm square pelmet headbox in premium extruded aluminium, eZIP® is the compliment to modern linear design trends.


 **SUN & UV PROTECTION**
Protection all year round

 **WIND RESISTANT**
Peace-of-mind performance


 **HEAVY WEIGHT**
Designed to perform – 25% heavier than most products

 **GLARE BLOCKING**
Enjoy the view

 **INSECT BLOCKING**
Enjoy your environment

 **SUPER STRONG**
Built-in patented strength

 **COASTAL APPROVED**
Sea breeze safe

 **PRIVACY**
Bring the outdoors in

 **AUSTRALIAN QUALITY**
Owned, designed and made in Australia




eZIP®




Why **eZIP**®?

Scan here
to see more



FABRIC LAY FLAT TECHNOLOGY

- Self lubricating polymer zip designed for problem-free blind rolling with no fabric distortion



eZIP® MOTION TECHNOLOGY

- Floating side channel with fully concealed side retention for ultimate performance and protection




ADJUSTABLE SIDE CHANNEL

- Unique patented multi-direction tension adjustment for consistent blind alignment and problem-free installation



FULLY ENCLOSED RETENTION SYSTEM

- Blind fabric retention with no visible tapes or welds to protect it from even the harshest elements




EVENLY WEIGHTED BOTTOM RAIL

- Optimal down force fabric tension for smooth blind rolling motion



SUSPENDED STEEL WEIGHT

- Steel rods anchored to each end of bottom rail for even weight distribution
- Specially designed sound absorbing weight plug ends to assist water drainage



BOTTOM RAIL END CAPS

- Fabric anchored to mid point of rail with reinforced fixing points for additional tear strength



PELMETS


- Fully enclosed sleek and slim 135mm pelmet headbox in premium extruded aluminium
- With 4mm thick reinforced end caps, eZIP® track blinds compliment modern linear design trends



EXTRUDED ALUMINIUM PELMET – 135mm




Internal locating post with rubber grommet for vibration and sound reduction



eZIP® Options


BUMPER STRIP

- PU moulded, heat resistance weather seal strip
- Available in two sizes – 12mm and 28mm (h)



eZIP® Options

SPECIFICATIONS



COLOURS



CONTROLS

- eZIP® track blinds are designed to perform with three different types of control mechanisms
 - Italian crank operated gearboxes, spring assisted tension control, or motorisation



← WIDTH →

RECOMMENDED SIZES	BLIND WIDTH	BLIND DROP
CRANK	0.5m > 6.0m	3.5m
SPRING	0.7m > 4.9m	2.7m
MOTORISATION	0.8m > 6.0m	3.5m

↑ DROP ↓

eZIP[®]


Automate your living space

What better way to bring the outdoors in than to automate your outdoor blind system.

eZIP[®] heavy duty aluminium extrusions are purpose engineered to work with all leading tubular motor systems.

Paired with the latest technology whether a remote control hand set, your own mobile phone or voice activation via wireless hub technology, eZIP[®] motorised blinds are the ultimate compliment to your outdoor environment.

Enhance your lifestyle investment with eZIP[®] track blinds paired with the latest automation technology.





eZIP[®]
track blind



EXTENDED
10YEAR
WARRANTY
Terms & Conditions apply

eZIP.com.au

YOUR eZIP[®] TRACK BLIND SPECIALIST IS:

22 Concord Crescent
Carrum Downs
VIC Australia 3201

info@ezip.com.au

AG
AUSTRALIAN AWNING GROUP